



1. Existing false ceiling, lights & AC diffusers will remain as it is
2. New false ceiling, 15 mm compressed soft-wool tiles in T grid, will 150mm below the existing ceiling, suspended from structural grid.
3. There will be an overlay of 1000 gsm synthetic wool on new false ceiling.
4. There may be slight change in actual mounting of new ceiling depending on site conditions.

GENERAL NOTES :

1. DO NOT SCALE THE DRAWING, REFER FIGURED DIMENSIONS, FIGURED DIMENSIONS SHALL SUPERS THE SCALED DRAWINGS.
2. ANY DESCRIPANCIES OR OMISSION OR CHANGES SHALL BE BROUGHT TO NOTICE PRIOR To EXICUSION

REVISION:

SR.NO	DATE OF DWG REV / ISSUE	SR.NO	DATE OF DWG REV / ISSUE	SR.NO	DATE OF DWG REV / ISSUE
1		5		9	
2		6		10	
3		7		11	
4		8		12	

**PROJECT: PROPOSED MODIFICATIONS
MAHATMA MANDIR CONVENTION CENTRE
GANDHI NAGAR.**

FOR : iNDEXTb

DWG: Reflected Ceiling : TENDER DRAWING

JOB NO.	DRG. NO.	DATE	DRAWN BY.
	300918/1	30-09-2018	VNP/

Auditorium Consultant:

V. N. PURANDARE
124 Shaniware Peth, Pune
Cell: 98909 22712
E-mail: vijaypurandare@gmail.com
www.AuditoriumAcoustics.in

THIS DRG & THE CONNECTED DESIGN IS OUR SOLE PROPERTY & COPYRIGHT IT IS LOANED ON CONDITION OF RETURN ON DEMAND IT SHALL NOT BE COPIED LENT OR USED WITHOUT OUR PRIOR WRITTEN CONSENT

COMP DETAIL.

SCALE

NTS